## AMENDMENTS TO THE CLAIMS

- 1. (Previously Amended) An isolated mutated GDF-9 nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of
  - a) SEQ ID NOS:1, 3 or 5;
  - b) a sequence complementary to the molecule defined in a);
  - c) a functional fragment or variant of the sequences in a) or b); and
  - d) an anti-sense sequence to any of the molecules defined in a), b) or c).
- 2. (Previously Amended) An isolated mutated GDF-9B nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of:
  - a) SEQ ID NOS: 7, 9, 11, 13, 15 or 17;
  - b) a sequence complementary to the molecule defined in a); and
  - c) an anti-sense sequence to any of the molecules defined in a) or b).
- 3. (Original) An isolated GDF-9 nucleic acid molecule comprising a mutation in at least one codon of the sequence associated with receptor binding and/or dimerisation.
- 4. (Original) An isolated GDF-9 nucleic acid molecule as claimed in claim 3, wherein said mutation results in an amino acid substitution in the polypeptide encoded by said nucleic acid sequence.
- 5. (Original) An isolated GDF-9 nucleic acid molecule as claimed in claim 4, wherein said amino acid substitution is present in a receptor binding domain and disrupts receptor binding.
- 6. (Original) An isolated GDF-9 nucleic acid molecule as claimed in claim 4, wherein said amino acid substitution is present in a dimerisation domain and disrupts dimerisation.
- 7. (Original) An isolated GDF-9B nucleic acid molecule comprising a mutation in at least one codon sequence associated with receptor binding and/or dimerisation.
- 8. (Original) An isolated GDF-9B nucleic acid molecule as claimed in claim 7, wherein said mutation results in an amino acid substitution in the polypeptide encoded by said nucleic acid sequence.
- 9. (Original) An isolated GDF-9B nucleic acid molecule as claimed in claim 8, wherein said amino acid substitution is present in a receptor binding domain and disrupts receptor binding.

- 10. (Original) An isolated GDF-9B nucleic acid molecule as claimed in claim 8, wherein said amino acid substitution is present in a dimerisation domain and disrupts dimerisation.
- 11. (Previously Amended) A method of identifying a mammal which carries a mutated nucleic acid molecule encoding GDF-9B, said method comprising the steps of
  - i) obtaining a tissue or blood sample from the mammal;
  - ii) isolating DNA from the sample; and
- iii) probing said DNA with a probe complementary to either strand of the mutated GDF-9B DNA of SEQ ID NOs 11 or 17;
  - iv) amplifying the amount of mutated GDF-9B DNA;
- v) determining whether the GDF-9B sequence DNA obtained in step iv) v) carries a mutation associated with sterility or increased ovulation.
- 12. (Previously Amended) A method of identifying a mammal which carries a mutated nucleic acid molecule encoding GDF-9, said method comprising the steps of:
  - i) obtaining a tissue or blood sample from the mammal;
  - ii) isolating DNA from the sample; and
- iii) probing said DNA with a probe complementary to either strand of the mutated GDF-9 DNA of SEQ ED NO 5;
  - iv) amplifying the amount of mutated GDF-9 DNA;
- v) determining whether the GDF-9 sequence DNA obtained in step iv) carries a mutation associated with sterility or increased ovulation.
- 13. (Previously Amended) A method of identifying a mammal carrying a mutated nucleic acid molecule encoding GDF-9B, comprising:

obtaining a tissue or blood sample from the mammal;

isolating nucleic acid from said sample;

contacting said nucleic acid sample with a marker comprising a nucleic acid molecule complementary to either strand of SEQ ID NOs: 11 or 17; and

identifying whether said marker bound to said nucleic acid sample to identify a mammal carrying a mutated nucleic acid molecule encoding GDF-9B.

14. (Previously Amended) The method of claim 13 wherein said mammal possesses a genotype which is associated with either enhanced ovulation or sterility.

- 15. (Previously Amended) The method of claim 13, wherein said marker nucleic acid is SEQ ID NO: 5.
  - 16. (Cancelled)
- 17. (Previously Amended) A probe capable of specifically hybridising to either strand of the mutated GDF-9B DNA of SEQ ID-NOs: 11or 17 under stringent hybridisation conditions.
- 18. (Previously Amended) A probe capable of hybridising to either strand of the mutated GDF-9 DNA of SEQ ID NO: 5 under stringent hybridisation conditions.
- 19. (Previously Amended) A construct comprising a nucleic acid molecule as claimed in claim 1.
- 20. (Previously Amended) A vector comprising a nucleic acid molecule as claimed in claim 1.
- 21. (Previously Amended) A host cell which comprises a construct or vector as claimed in claim 19 which has been introduced therein.
  - 22. (Original) A cell line comprising a host cell as claimed in claim 21.
- 23. (Previously Amended) A method of altering GDF-9 and/or GDF-9B bioactivity in a female mammal so as to modulate ovulation comprising the step of either:
- (a) inducing a partial immunisation response to endogenous GDF-9 and/or GDF9B to partially reduce bioactivity thereof and enhance ovulation; or
- (b) inducing a full immunisation response to endogenous GDF-9 and/or GDF-9B to substantially reduce bioactivity thereof and induce sterility.
- 24. (Previously Amended) A method as claimed in claim 23, wherein said immunisation response is induced by administration of an antigenic composition comprising:
  - i) a GDF-9 polypeptide or a functional fragment or variant of GDF9; and/or
  - ii) a GDF-9B polypeptide or a functional fragment or variant of GDF-9B; together with a pharmaceutically or veterinarily acceptable carrier and/or diluent; to a mammal in need thereof [[.]]
- 25. (Original) A method as claimed in claim 24, wherein said antigenic composition comprises a mild adjuvant to induce a partial immunisation response and induce enhanced ovulation.

26. (Original) A method as claimed in claim 24, wherein said antigenic composition comprises a strong adjuvant to induce a full immunization response and induce sterility.

- 27. (Previously Amended) A method as claimed in claim 23, wherein said partial immunization response is induced by a short term immunization regime.
- 28. (Previously Amended) A method as claimed in claim 23, wherein said fall immunization response is induced by a long term immunization regime.
- 29. (Original) A method as claimed in claim 24, wherein said immunization response is induced passively by administration of antibodies raised against said antigenic composition.
- 30. (Previously Amended) A method as claimed in claim 29, wherein said antibodies are administered according to a short term regime to induce a partial immunization response and induce enhanced ovulation.
- 31. (Original) A method as claimed in claim 29, wherein said antibodies are administered according to a long term regime to induce a full immunization response and induce sterility.
- 32. (Previously Amended) A method as claimed in claim 23, wherein said fall immunization response is temporary and/or reversible and wherein said sterility induced comprises contraception.
- 33. (Previously Amended) A method as claimed in claim 23, wherein said full immunization response and said sterility induced is permanent.
- 34. (Original) A method for breeding a mammal having increased ovulation comprising the steps of.
- a) identifying the nucleotide sequences of GDF-9 or GDF-9B carried by the female mammal it is proposed to breed from;
- b) identifying the nucleotide sequences of GDF-9 or GDF-9B carried by the male mammal it is proposed to breed from;
- c) selecting the female and male animals that will result in progeny having the following characteristics:
  - i) a single copy of a mutated GDF-9 nucleotide sequence comprising:
  - A) SEQ ID NO 5; or

- B) a functional variant or fragment of the molecule in A); or
- C) a sequence complementary to the molecule in A) or B); and/or
- ii) a single copy of mutated GDF-9B nucleotide sequence comprising:
- A) SEQ ID NOs 11 or 17; or
- B) a sequence complementary to the molecule(s) in A).
- 35. (Original) A method as claimed in claim 34, wherein said mammal is selected to have a single mutated copy of GDF-9 and GDF-9B
- 36. (Currently Amended) A method for selecting a female mammal for breeding which possesses a genotype indicative of an increased rate of ovulation, said genotype comprising a single mutated copy of:
  - 1) a mutated GDF-9 nucleotide sequence comprising:
  - a) SEQ ID NO 5; or
  - b) a functional variant of the molecule of a); or
  - c) a sequence complementary to the molecules in a) or b); and/or
  - 2) a mutated GDF-9B nucleotide sequence comprising:
  - a) SEQ ID NOs 11 or 17; or
- b) a sequence complementary to the molecules in a); said method comprising identifying said mammal according to the method of claim 11 and/or 12 and selecting said mammal.
- 37. (Original) A method as claimed in claim 36 wherein the mammal selected has both a single mutated copy of GDF-9 and GDF-9B.
- 38. (Original) A method of modifying the function of the corpus luteum by administering supplementary GDF-9 or GDF-9B or analogues thereof, or GDF-9 or GDF9-B antagonists to female mammals.
- 39. (Previously Amended) A transgenic non-human animal comprising a knock out of at least one copy of the endogenous GDF-9 and/or GDF-9B gene.
- 40. (Original) A transgenic non-human animal as claimed in claim 39, comprising a transgenic ovine having a genome lacking one copy of a gene encoding a protein having biological activity of GDF-9 and/or GDF-9B.

- 41. (Previously Amended) An isolated mutated GDF-9 polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 2, 3, 6 and a functional fragment or variant thereof.
- 42. (Previously Amended) An isolated mutated GDF-9B polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 8, 10, 12, 14, 16, and 18.
- 43. (Previously Amended) A composition comprising an isolated nucleic acid as claimed in claim 1, or an isolated polypeptide as claimed in claim 41 and a pharmaceutically acceptable carrier.
- 44. (Previously Presented) The method of claim 11, further comprising: isolating GDF-9B DNA from the DNA obtained at step i) or ii).
- 45. (Previously Presented) The method of claim 12, further comprising isolating GDF-9 DNA from the DNA obtained at step i) or ii).